

F, M., FEMALE, AGE 60

Patient presented to us with extensive high-grade comedo type ductal carcinoma in situ with multifocal invasive carcinoma. She had undergone bi-lateral mastectomy, chemotherapy and radiation treatment. Three months after treatment completion, the cancer was still progressing and the patient was very ill.

The patient was experiencing extreme fatigue and depression. It had been several months since having an appetite, and she was too tired to work. The patient is a surgical nurse, and her duties were far too strenuous to continue working.


The patient's immune system had been devastated by both radiation and chemotherapy, leaving her open to both advancing cancer and other infections. At the first visit, her left breast had already become abscessed and was severely infected.

Following the start of LifeOne Formula the patient's symptoms have slowly improved. She now tests cancer free by both AMAS and Cancer Antigen tests. Her energy level is greatly improved, and she is again working full time.

10/08/99 Patient was diagnosed with bi-lateral breast cancer.


01/12/01 Started LifeOne Formula

At present, she is still taking the LifeOne Formula regularly.




Normal Values < 135 Show No Active Cancer.

CancerAntigen 27 Results



Normal Values < 38 Show Low Chances Of Active Cancer

White Blood Cell Count



Normal Values > 4.1 K/ul


Predicted life expectancy is based on the following study:

Neth J Med 1995 Mar; 46(3) : 131-5

Palliative chemotherapy with CMF after the same adjuvant regimen for breast cancer. The Breast Study Group.

Gerritsen M, Wagener DJ, Schade RW, Beex LV.

Department of Medicine, University Hospital, Nijmegen, Netherlands.



Patient is still living and healthy with no signs of cancer.