

F. J., Female, Age 62

The patient presented with end stage metastatic liver cancer from a previously diagnosed pancreatic cancer. The patient has undergone a previous Whipple procedure for the pancreatic carcinoma. She is suffering from extreme hepatomegaly and abdominal pain. She also is extremely jaundiced. She is unable to eat and has been unable to eat for over 2 weeks. She is barely ambulatory and has been aided into the office by a friend. Her condition is inoperable and the patient feels totally hopeless.


Within 10 days of starting the LifeOne Formula, her liver functions are much better. Her pain is gone and she is strong enough to get around on her own. She has begun eating again and her skin color has returned to normal. The hepatomegaly has decreased by at least 80% and her abdominal distress has markedly decreased.

Graphs of her liver enzymes follow. Please note the following dates and value changes:


6/22/99 Patient went out of town and stopped formula for almost 2 weeks. Note change.

7/19/99 Patient developed a benign gastric mass. Note change.


9/10/99 Patient had surgery to remove benign mass and developed post surgical infection. Note change.




Normal Value 0.2-1.3




Normal Value 38-126 U/L



Normal Value 8-50 U/L



Normal Value 0-37 u/ml



Her life expectancy prior to the broth was 7 days or less due to total liver failure. She lived very comfortably for 8 months, traveled to family weddings and visited with her children. She died due to post surgical complications unrelated to cancer.